

**517 Series**

# Digital Cable Ready HDTV

Models:  
WS-55517  
WS-65517  
WS-73517



WD-73517 Shown

## Overview

A Mitsubishi 517 Series fully integrated Digital Cable Ready HDTV is the ideal way to start enjoying everything digital.

The 517 Series features Plush™ imaging which converts lower quality analog and digital pictures into near-HDTV quality. In addition, PerfectColor™ technology lets the viewer create the perfect color palette through its six-way independent color control. Mitsubishi even includes a removable ColorTuned™ protective shield.

## Get the Perfect Picture Every Time

- Digital Cable Ready (DCR) HDTV with CableCARD™ Slot
- Plush™ Imaging
- PerfectColor™
- DefinEdge™ VSM
- 480 Line Motion Adaptive 3D Y/C Comb Filter
- Auto Film Mode
- Removable ColorTuned™ Shield
- 9" CRTs and Lenses (WS-73517)

## Watch TV Your Way

- NetCommand®
- ChannelView™
- Full Screen Freeze-Frame
- 8 Format Modes
- HDMI™ Input
- 2 IEEE 1394 Rear Inputs

Descriptions and specifications subject to change without notice. The dimensions are approximate for general information when deciding the locations and placements of the product. When creating a custom-built environment for this product, please take exact measurements from the specific unit to be installed before doing any finished carpentry. When installing the unit, allow for air circulation, ventilation, and variations due to manufacturing tolerances. The cosmetic appearance of the product may vary from that depicted here.

# 517 Series

## Digital Cable Ready HDTV



WS-55517



WS-65517



WS-73517

Model	Screen Size	Cabinet Dimensions / Weight (HxWxD, lbs.)
WS-55517	55"	50.7" x 50.5" x 28", 215 lbs.
WS-65517	65"	62" x 58.9" x 28.4", 330 lbs.
WS-73517	73"	66.3" x 65.9" x 29.9", 395 lbs.

### Video Features

Plush™ Imaging	•
Comb Filter	Motion-Adaptive 480-Line 3D Y/C
Automatic Film Mode (3:2 pulldown compensation)	•
DefinEdge™ VSM	Selectable by Input
HDTV Scanning Rate	1080i
Picture Format Modes for Analog 480i/480p and 4:3 Digital Sources	6
Picture Format Modes for Analog 1080i and Digital 16:9 Sources	2

### Picture Performance

ColorTuned™ Shield	User-Removable
CRT Size	7" WS-55517 and WS-65517
	9" WS-73517

### User Interface

#### Control Features

NetCommand®	•
ChannelView™ (on-screen channel list)	•
IR System Control with Learning Mode	•
PerfectColor™ / Auto Color Correction	Selectable by Input
Full Screen Freeze Frame	•

#### PIP/POP Features

Multi-Image	1 PIP, 3 and 9 POP
Split Screen	•
Channel Preview/Input Strobe (analog channels only)	•

### Audio

#### Speakers

WS-55517, WS-65517, WS-73517	5" Full Range x 2
Output Power (Watts)	10W x 2

### Tuning

HDTV Air/Cable (ATSC/QAM)	1
Analog Air/Cable (NTSC)	2
Digital Cable Ready with CableCARD™ Slot	•

#### Antenna (RF) Inputs

Analog / Digital Combined	2
---------------------------	---

#### AV Inputs (Analog)

A/V Inputs with S-Video (Front/Rear) with Stereo Audio	1/2
Component Video Inputs with Stereo Audio	2 (480i/480p/1080i)

#### AV Outputs (Analog)

Monitor A/V Output (for recording)	•
Stereo Audio Output (fixed audio)	•

#### Inputs/Outputs (Digital)



IEEE 1394 (front/rear)	1/2
HDMI™ with Analog Stereo Input (480i/480p/720p/1080i/PCM Audio)	1
Digital Audio Bitstream Output (Dolby® Digital)	1 (coaxial)

#### Included Accessories

Multibrand Illuminated Remote Control	Illuminated
IR Emitter Cable	1 (2-headed)
Digital Coaxial Audio Cable	1

Descriptions and specifications subject to change without notice.

CableCARD is a trademark of Cable Television Laboratories, Inc.  
HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.  
Dolby and Dolby Digital are registered trademarks of Dolby Laboratories.  
DTVLink is a trademark of Consumer Electronics Association.



# 527 Series

# LCD HDTV

Models:  
WD-52527  
WD-62527



WD-52527 Shown

## Overview

The Mitsubishi 527 Series Integrated Digital Cable Ready LCD HDTVs offer a high quality picture in a stylish compact cabinet.

The Mitsubishi QuickMotion™ LCD drive displays sharp, crisp, and clean moving images especially with fast moving scenes. SmartShutter™ technology displays deep blacks and improved dark scene detail. And Plush720p™ upconverts lower quality signals to deliver maximum clarity from every source.

ClearThought™ technology makes digital TV easy to use. The 527 series includes two HDMI™ inputs, two component inputs, and two IEEE 1394 ports for maximum connectivity.

## Get the Perfect Picture Every Time

- Mitsubishi Exclusive LCD Light Engine
- SmartShutter™
- Plush720p™
- QuickMotion™
- PerfectColor™
- Digital Cable Ready (DCR) HDTV with CableCARD™ Slot

## Watch TV Your Way

- TV Guide On Screen®
- NetCommand® 5.0
- 2 HDMI™ Inputs
- 2 Component Inputs
- 2 IEEE 1394 Rear Inputs
- Digital Audio Output for All Analog and A/V Sources
- Partially Illuminated Remote Control

Descriptions and specifications subject to change without notice. The dimensions are approximate for general information when deciding the locations and placements of the product. When creating a custom-built environment for this product, please take exact measurements from the specific unit to be installed before doing any finished carpentry. When installing the unit, allow for air circulation, ventilation, and variations due to manufacturing tolerances. The cosmetic appearance of the product may vary from that depicted here.

# 527 Series

# LCD HDTV

Model	WD-52527	WD-62527
Screen Size	52"	62"
Aspect Ratio	16:9 (widescreen)	16:9 (widescreen)
Height	33.9"	40.3"
Width	49.6"	58.3"
Depth	17.8"	19.9"
Height On Base	51.9"	58.4"
Weight	110 lbs.	133 lbs.
Power Consumption	225 Watts	225 Watts




WD-52527 Shown on Optional Matching Base

Optical System	
Light Engine	Proprietary 3LCD
Pixel Resolution (horizontal x vertical)	1280 x 720
LCD Driver	QuickMotion™
Lamp Power	110W
High Contrast System	SmartShutter™
Screen Protective Shield	No
Video Performance	
Video Signal Conversion	Plush720p™
PerfectColor™	•
Video Noise Reduction	•
Picture Format Modes (4:3 sources, including anamorphic DVDs)	6
Picture Format Modes (16:9 sources)	2
User Interface	
Control Features	
TV Guide On Screen® (8-day interactive guide)	•
NetCommand® 5.0 Home Theater Control	•
IR Learning	•
ChannelView™ (on-screen channel list)	•
AV Adjustment (memorized by input/device)	•
Color Temperature Control (by device)	High/Low
Bright/Natural Mode	•
Full Screen Image Freeze	•
2-Tuner PIP	
PIP Still, Exchange, and Move	•
Split Screen	•
Audio	
Internal Loudspeakers	Stereo Full Range
Speaker Sizes	5 1/2" x 2 1/4"
Output Power (watts x ch.)	10W x 2
Level Sound (dynamics limiter)	•
Digital Output (PCM) for All Analog Sources	•
Tuning	
HDTV Air/Cable (ATSC/QAM)	1
Analog Air/Cable (NTSC)	2
Digital Cable Ready (DCR) w/CableCARD™ Slot	•
Antenna (RF) Inputs	
Analog / Digital Combined	2
AV Inputs (Analog) with Stereo Audio	
Front A/V Inputs with S-Video	1
Rear A/V Inputs with S-Video	2
Component Video Inputs (480i/480p/720p/1080i)	2

Inputs / Outputs (Digital)	
HDMI™ / MonitorLink™ with DVI Stereo Audio (480i/480p/720p/1080i/PCM audio)	2
IEEE 1394 (MPEG2) Rear	2
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)
Outputs (Analog)	
Stereo Audio Output	1 (fixed)
Independent Record AV Output	1
NetCommand® / G-Link™ IR Emitter	2
Customization Features	
Direct IR Input Selection	•
Direct IR Format Selection	•
Independent Power ON/OFF	•
Included Accessories	
Multibrand Illuminated Remote Control	•
IR Emitter Cable	1 (2-headed)
Digital Coaxial Audio Cable	No

Descriptions and specifications subject to change without notice.

CableCARD is a trademark of Cable Television Laboratories, Inc.  
HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.  
Dolby and Dolby Digital are registered trademarks of Dolby Laboratories.  
DTVLink is a trademark of Consumer Electronics Association.  
TV GUIDE and other related marks are registered marks of Gemstar-TV Guide International, Inc. and/or one of its affiliates.



# 528 Series

# LCD HDTV

Models:  
WD-52528  
WD-62528



WD-52528 Shown

## Overview

The Mitsubishi 528 Series of Integrated Digital Cable Ready LCD HDTVs feature a high quality picture in a stylish compact cabinet.

The Mitsubishi QuickMotion™ LCD drive displays sharp, crisp, and clean moving images while the SmartShutter™ system provides deeper blacks and better dark scene detail.

The 528 Series also includes a host of advanced signal processing for maximum picture quality. SharpEdge™ technology creates clean, focused edges between objects and scene backgrounds. DeepField™ imager technology dynamically adjusts brightness and contrast within every scene. And Plush720p™ upconverts lower quality signals to deliver maximum clarity from every source.

With ClearThought™ technology, digital TV becomes easy to use. The 528 Series includes two HDMI™ inputs, three component inputs, and two IEEE 1394 ports for maximum connectivity.

## Get the Perfect Picture Every Time

- Mitsubishi Exclusive LCD Light Engine
- SmartShutter™
- Plush720p™
- QuickMotion™
- PerfectColor™
- Digital Cable Ready (DCR) HDTV with CableCARD™ Slot
- DeepField™ Imager (switchable)
- SharpEdge™ (switchable)

## Watch TV Your Way

- TV Guide On Screen®
- NetCommand® 5.0
- 2 HDMI™ Inputs
- 3 Component Inputs
- 2 IEEE 1394 Rear Inputs
- Digital Audio Output for All Analog and A/V Sources
- Fully Illuminated Remote Control

Descriptions and specifications subject to change without notice. The dimensions are approximate for general information when deciding the locations and placements of the product. When creating a custom-built environment for this product, please take exact measurements from the specific unit to be installed before doing any finished carpentry. When installing the unit, allow for air circulation, ventilation, and variations due to manufacturing tolerances. The cosmetic appearance of the product may vary from that depicted here.

# 528 Series

# LCD HDTV

Model	WD-52528	WD-62528
Screen Size	52"	62"
Aspect Ratio	16:9 (widescreen)	16:9 (widescreen)
Height	33.9"	40.3"
Width	49.6"	58.3"
Depth	17.8"	19.9"
Height On Base	51.9"	58.4"
Weight	110 lbs.	133 lbs.
Power Consumption	225 Watts	225 Watts



WD-52528 Shown on Optional Matching Base

Optical System	
Light Engine	Proprietary 3LCD
Pixel Resolution (horizontal x vertical)	1280 x 720
LCD Driver	QuickMotion™
Lamp Power	110W
High Contrast System	SmartShutter™
Screen Protective Shield	No
Video Performance	
Video Format Conversion	Plush720p™
PerfectColor™	•
DeepField™ Imager (switchable)	Yes
SharpEdge™ (switchable)	Yes
Video Noise Reduction	•
Picture Format Modes (4:3 sources, including anamorphic DVDs)	6
Picture Format Modes (16:9 sources)	2
User Interface	
Control Features	
TV Guide On Screen® (8-day interactive guide)	•
NetCommand® 5.0 Home Theater Control	•
IR Learning	•
ChannelView™ (on-screen channel list)	•
AV Adjustment (memorized by input/device)	•
Color Temperature Control (by device)	High/Low
Bright/Natural Mode	•
Full Screen Image Freeze	•
2-Tuner PIP	
PIP Still, Exchange, and Move	•
Split Screen	•
Channel Preview	3 POP
Audio	
Internal Loudspeakers	Stereo Full Range
Speaker Sizes	5 1/2" x 2 1/4"
Output Power (watts/ch.)	10W x 2
Level Sound (dynamics limiter)	•
Digital Output (PCM) for All Analog Sources	•
Tuning	
HDTV Air/Cable (ATSC/QAM)	1
Analog Air/Cable (NTSC)	2
Digital Cable Ready (DCR) w/CableCARD™ Slot	•
Antenna (RF) Inputs	
Analog / Digital Combined	2
AV Inputs (Analog) with Stereo Audio	
Front A/V Inputs with S-Video	1
Rear A/V Inputs with S-Video	2
Component Video Inputs (480i/480p/720p/1080i)	3

## Inputs / Outputs (Digital)

HDMI™ / MonitorLink™ with DVI Stereo Audio (480i/480p/720p/1080i/PCM audio)	2
IEEE 1394 (MPEG2) Rear	2
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)

## Outputs (Analog)

Stereo Audio Output	1 (fixed)
Independent Record AV Output	1
NetCommand® / G-Link™ IR Emitter	2

## NetCommand® Remote Control

Illuminated	•
Full Screen Remote Sensor	•

## Customization Features


Direct IR Input Selection	•
Direct IR Format Selection	•
Independent Power ON/OFF	•

## Included Accessories

Multibrand Fully-Illuminated Remote Control	•
IR Emitter Cable	1 (4-headed)
Digital Coaxial Audio Cable	•

Descriptions and specifications subject to change without notice.

CableCARD is a trademark of Cable Television Laboratories, Inc.  
HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.  
Dolby and Dolby Digital are registered trademarks of Dolby Laboratories.  
DTVLink is a trademark of Consumer Electronics Association.  
TV GUIDE and other related marks are registered marks of Gemstar-TV Guide International, Inc. and/or one of its affiliates.





**627 Series**

# 1080p DLP® HDTV

Models:  
WD-52627  
WD-62627



WD-52627 Shown

## Overview

The 627 Series 1080p DLP® HDTVs produce exceptionally sharp and clear high resolution pictures.

At its heart is an all-new Mitsubishi digital light engine employing the latest 1080p DLP® chip for unsurpassed detail. Mitsubishi also uses a high speed video processor called Plush1080p™ that upconverts 1080i signals to 1080p producing four times the resolution of traditional line doublers. Mitsubishi further enhances the picture performance with Dark Detailer™, a system that displays deeper blacks and better dark scene detail.

The 627 Series also comes with ClearThought™ technology for flexibility and ease of use. Each 627 includes a Digital Cable Ready HDTV tuner, a CableCARD™ slot, two HDMI™ digital inputs, and a multi-format memory card reader to view digital photos and playback digital audio files.

## Get the Perfect Picture Every Time

- Mitsubishi Exclusive 1080p DLP® Light Engine
- Dark Detailer™
- Plush1080p™
- PerfectColor™
- Digital Cable Ready (DCR) HDTV with CableCARD™ Slot

## Watch TV Your Way

- TV Guide On Screen®
- NetCommand® 5.0
- 2 HDMI™ Inputs
- 3 Component Inputs
- 2 IEEE 1394 Rear Inputs
- Multi-Format Memory Card Reader
- Digital Audio Output for All Analog and A/V Sources
- Partially Illuminated Remote Control

Descriptions and specifications subject to change without notice. The dimensions are approximate for general information when deciding the locations and placements of the product. When creating a custom-built environment for this product, please take exact measurements from the specific unit to be installed before doing any finished carpentry. When installing the unit, allow for air circulation, ventilation, and variations due to manufacturing tolerances. The cosmetic appearance of the product may vary from that depicted here.

# 627 Series

# 1080p DLP® HDTV




WD-52627 Shown on Optional Matching Base

Model	WD-52627	WD-62627
Screen Size	52"	62"
Aspect Ratio	16:9 (widescreen)	16:9 (widescreen)
Height	33.9"	40.3"
Width	49.6"	58.3"
Depth	18.5"	20.2"
Height On Base	51.9"	58.4"
Weight	121 lbs.	133 lbs.
Power Consumption	295 Watts	295 Watts

Optical System	
Light Engine	Proprietary DLP® Light Engine
Pixel Resolution (horizontal x vertical*)	1920 x 1080
Color Wheel	6-Segment (10,800 RPM)
Lamp Power	120W
Dark Detailer™	•
Screen Protective Shield	No
Video Performance	
Video Format Conversion	Plush1080p™
PerfectColor™	•
Video Noise Reduction	•
Picture Format Modes (4:3 sources, including anamorphic DVDs)	6
Picture Format Modes (16:9 sources)	2
User Interface	
Control Features	
TV Guide On Screen® (8-day interactive guide)	•
NetCommand® 5.0 Home Theater Control	•
IR Learning	•
ChannelView™ (on-screen channel list)	•
MediaCommand™ (multi-format memory card reader)	•
AV Adjustment (memorized by input/device)	•
Color Temperature Control (by device)	High/Low
Bright/Natural Mode	•
Full Screen Image Freeze	•
2-Tuner PIP	
PIP Still, Exchange, and Move	•
Split Screen	•
Channel Preview	No
Audio	
Internal Loudspeakers	Stereo 2-Way
Speaker Sizes	1.5" Round x 2, 5.5" x 2.2" x 2
Output Power (watts/ch.)	10W x 2
Level Sound (dynamics limiter)	•
Digital Output (PCM) for All Analog Sources	•
Tuning	
HDTV Air/Cable (ATSC/QAM)	1
Analog Air/Cable (NTSC)	2
Digital Cable Ready (DCR) w/CableCARD™ Slot	•
Antenna (RF) Inputs	
Analog / Digital Combined	2

AV Inputs (Analog) with Stereo Audio	
Front A/V Inputs with S-Video	1
Rear A/V Inputs with S-Video	2
Component Video Inputs (480i/480p/720p/1080i)	3
Inputs / Outputs (Digital)	
HDMI™/ MonitorLink™ with DVI Stereo Audio (480i/480p/720p/1080i/PCM audio)	2 (1 also compatible with VGA-XGA/60Hz)
IEEE 1394 (MPEG2) Rear	2
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)
Memory Card Reader (JPEG/MP3/WMA)	Multi-Format
Outputs (Analog)	
Stereo Audio Output	1 (fixed)
Independent Record AV Output	1
NetCommand® / G-Link™ IR Emitter	2
NetCommand® Remote Control	
Illuminated	•
Full Screen Remote Sensor	•
Customization Features	
Direct IR Input Selection	•
Direct IR Format Selection	•
Independent Power ON/OFF	•
Included Accessories	
Multibrand Illuminated Remote Control	•
IR Emitter Cable	1 (2-headed)
Digital Coaxial Audio Cable	No

\*TV and some PC displays have standard overscan  
Descriptions and specifications subject to change without notice.



Digital Light Processing and DLP are registered trademarks of Texas Instruments.  
CableCARD is a trademark of Cable Television Laboratories, Inc.  
TV GUIDE and other related marks are registered marks of Gemstar-TV Guide International, Inc. and/or one of its affiliates.  
HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.  
Dolby and Dolby Digital are registered trademarks of Dolby Laboratories.  
DTVLink is a trademark of Consumer Electronics Association.



**628 Series**

# 1080p DLP® HDTV

Models:  
WD-52628  
WD-62628



WD-52628 Shown

## Overview

The 628 Series 1080p DLP® HDTVs employ advanced signal processing and the latest 1080p DLP® chip for unsurpassed detail to produce an exceptional picture quality.

Mitsubishi includes the latest in digital signal processing to get the most from this optical system. Dark Detailer™ provides deep blacks and enhanced dark scene detail. Mitsubishi also uses a high speed video processor called Plush1080p™ that upconverts 1080i signals to 1080p producing four times the resolution of traditional line doublers. DeepField™ imager uses new techniques to optimize brightness and contrast within every scene while SharpEdge™ delivers clean, focused edges between objects and scene backgrounds. The result is exquisite picture clarity from any source in every scene.

With Mitsubishi's ClearThought™ technology, digital TV becomes easy to use. These televisions also feature a Digital Cable Ready HDTV tuner with CableCARD™ slot, two HDMI™ digital inputs, and multi-format memory card readers to easily view pictures and playback digital audio files.

## Get the Perfect Picture Every Time

- Mitsubishi Exclusive 1080p DLP® Light Engine
- Dark Detailer™
- Plush1080p™
- PerfectColor™
- Digital Cable Ready (DCR) HDTV with CableCARD™ Slot
- DeepField™ Imager (switchable)
- SharpEdge™ (switchable)

## Watch TV Your Way

- TV Guide On Screen®
- NetCommand® 5.0
- 2 HDMI™ Inputs
- 3 Component Inputs
- 2 IEEE 1394 Rear Inputs
- Multi-Format Memory Card Reader
- Front IEEE 1394 with DV Decoder
- Digital Audio Output for All Analog and A/V Sources
- Fully Illuminated Remote Control

Descriptions and specifications subject to change without notice. The dimensions are approximate for general information when deciding the locations and placements of the product. When creating a custom-built environment for this product, please take exact measurements from the specific unit to be installed before doing any finished carpentry. When installing the unit, allow for air circulation, ventilation, and variations due to manufacturing tolerances. The cosmetic appearance of the product may vary from that depicted here.

# 628 Series

# 1080p DLP® HDTV



WD-52628 Shown on Optional Matching Base

Model	WD-52628	WD-62628
Screen Size	52"	62"
Aspect Ratio	16:9 (widescreen)	16:9 (widescreen)
Height	33.9"	40.3"
Width	49.6"	58.3"
Depth	18.5"	20.2"
Height On Base	51.9"	58.4"
Weight	121 lbs.	133 lbs.
Power Consumption	295 Watts	295 Watts

Optical System	
Light Engine	Proprietary DLP® Light Engine
Pixel Resolution (horizontal x vertical*)	1920 x 1080
Color Wheel	6-Segment (10,800 RPM)
Lamp Power	120W
Dark Detailer™	•
Screen Protective Shield	No
Video Performance	
Video Format Conversion	Plush1080p™
PerfectColor™	•
DeepField™ Imager (switchable)	Yes
SharpEdge™ (switchable)	Yes
Video Noise Reduction	•
Picture Format Modes (4:3 sources, including anamorphic DVDs)	6
Picture Format Modes (16:9 sources)	2
User Interface	
Control Features	
TV Guide On Screen® (8-day interactive guide)	•
NetCommand® 5.0 Home Theater Control	•
IR Learning	•
ChannelView™ (on-screen channel list)	•
MediaCommand™ (multi-format memory card reader)	•
AV Adjustment (memorized by input/device)	•
Color Temperature Control (by device)	High/Low
Bright/Natural Mode	•
Full Screen Image Freeze	•
2-Tuner PIP	
PIP Still, Exchange, and Move	•
Split Screen	•
Channel Preview	3 POP
Audio	
Internal Loudspeakers	Stereo 2-Way
Speaker Sizes	1.5" Round x 2, 5.5" x 2.2" x 2
Output Power (watts/ch.)	10W x 2
Level Sound (dynamics limiter)	•
Digital Output (PCM) for All Analog Sources	•
Tuning	
HDTV Air/Cable (ATSC/QAM)	1
Analog Air/Cable (NTSC)	2
Digital Cable Ready (DCR) w/CableCARD™ Slot	•
Antenna (RF) Inputs	
Analog / Digital Combined	2

\*TV and some PC displays have standard overscan  
Descriptions and specifications subject to change without notice.

AV Inputs (Analog) with Stereo Audio	
Front A/V Inputs with S-Video	1
Rear A/V Inputs with S-Video	2
Component Video Inputs (480i/480p/720p/1080i)	3
Inputs / Outputs (Digital)	
HDMI™ / MonitorLink™ with DVI Stereo Audio (480i/480p/720p/1080i/PCM audio)	2 (1 also compatible with VGA-XGA/60Hz)
IEEE 1394 (MPEG2 / DV) Front/Rear	1/2
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)
Memory Card Reader (JPEG/MP3/WMA)	Multi-Format
Outputs (Analog)	
Stereo Audio Output	1 (fixed)
Independent Record AV Output	1
NetCommand® / G-Link™ IR Emitter	2
NetCommand® Remote Control	
Fully-Illuminated	•
Full Screen Remote Sensor	•
Customization Features	
Direct IR Input Selection	•
Direct IR Format Selection	•
Independent Power ON/OFF	•
Included Accessories	
Multibrand Fully-Illuminated Remote Control	•
IR Emitter Cable	1 (4-headed)
Digital Coaxial Audio Cable	Yes

Digital Light Processing and DLP are registered trademarks of Texas Instruments.  
CableCARD is a trademark of Cable Television Laboratories, Inc.  
TV GUIDE and other related marks are registered marks of Gemstar-TV Guide International, Inc. and/or one of its affiliates.  
HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.  
Dolby and Dolby Digital are registered trademarks of Dolby Laboratories.  
DTVLink is a trademark of Consumer Electronics Association.

